2000 Advanced Placement Program®
Free-Response Questions

These materials were produced by Educational Testing Service (ETS), which develops and administers the examinations of the Advanced Placement Program for the College Board. The College Board and Educational Testing Service (ETS) are dedicated to the principle of equal opportunity, and their programs, services, and employment policies are guided by that principle.

The College Board is a national nonprofit membership association dedicated to preparing, inspiring, and connecting students to college and opportunity. Founded in 1900, the association is composed of more than 3,800 schools, colleges, universities, and other educational organizations. Each year, the College Board serves over three million students and their parents, 22,000 high schools, and 5,000 colleges, through major programs and services in college admission, guidance, assessment, financial aid, enrollment, and teaching and learning. Among its best-known programs are the SAT®, the PSAT/NMSQT®, the Advanced Placement Program® (AP®), and Pacesetter®. The College Board is committed to the principles of equity and excellence, and that commitment is embodied in all of its programs, services, activities, and concerns.

The College Board

CALCULUS BC

SECTION II, Part A

Time—45 minutes

Number of problems—3

A graphing calculator is required for some problems or parts of problems.



1. Let R be the shaded region in the first quadrant enclosed by the graphs of $y = e^{-x^2}$, $y = 1 - \cos x$, and the y-axis, as shown in the figure above.

   (a) Find the area of the region R.

   (b) Find the volume of the solid generated when the region R is revolved about the x-axis.

   (c) The region R is the base of a solid. For this solid, each cross section perpendicular to the x-axis is a square. Find the volume of this solid.

GO ON TO THE NEXT PAGE.



2. Two runners, A and B, run on a straight racetrack for $0 \le t \le 10$ seconds. The graph above, which consists of two line segments, shows the velocity, in meters per second, of Runner A. The velocity, in meters per second, of Runner B is given by the function v defined by $v(t) = \dfrac{24t}{2t + 3}$.

   (a) Find the velocity of Runner A and the velocity of Runner B at time $t = 2$ seconds. Indicate units of measure.

   (b) Find the acceleration of Runner A and the acceleration of Runner B at time $t = 2$ seconds. Indicate units of measure.

   (c) Find the total distance run by Runner A and the total distance run by Runner B over the time interval $0 \le t \le 10$ seconds. Indicate units of measure.

---

3. The Taylor series about $x = 5$ for a certain function f converges to $f(x)$ for all x in the interval of convergence. The nth derivative of f at $x = 5$ is given by $f^{(n)}(5) = \dfrac{(-1)^n n!}{2^n (n + 2)}$, and $f(5) = \dfrac{1}{2}$.

   (a) Write the third-degree Taylor polynomial for f about $x = 5$.

   (b) Find the radius of convergence of the Taylor series for f about $x = 5$.

   (c) Show that the sixth-degree Taylor polynomial for f about $x = 5$ approximates $f(6)$ with error less than $\dfrac{1}{1000}$.

END OF PART A OF SECTION II

CALCULUS BC

SECTION II, Part B

Time—45 minutes

Number of problems—3

No calculator is allowed for these problems.

---

4. A moving particle has position $(x(t), y(t))$ at time t. The position of the particle at time $t = 1$ is $(2,6)$, and the velocity vector at any time $t > 0$ is given by $\left(1 - \frac{1}{t^2}, 2 + \frac{1}{t^2}\right)$.

   (a) Find the acceleration vector at time $t = 3$.

   (b) Find the position of the particle at time $t = 3$.

   (c) For what time $t > 0$ does the line tangent to the path of the particle at $(x(t), y(t))$ have a slope of 8 ?

   (d) The particle approaches a line as $t \to \infty$. Find the slope of this line. Show the work that leads to your conclusion.

---

5. Consider the curve given by $xy^2 - x^3y = 6$.

   (a) Show that $\frac{dy}{dx} = \frac{3x^2y - y^2}{2xy - x^3}$.

   (b) Find all points on the curve whose x-coordinate is 1, and write an equation for the tangent line at each of these points.

   (c) Find the x-coordinate of each point on the curve where the tangent line is vertical.

---

6. Consider the differential equation given by $\frac{dy}{dx} = x(y-1)^2$.

(a) On the axes provided, sketch a slope field for the given differential equation at the eleven points indicated.

(Note: Use the axes provided in the pink test booklet.)



(b) Use the slope field for the given differential equation to explain why a solution could not have the graph shown below.



(c) Find the particular solution $y = f(x)$ to the given differential equation with the initial condition $f(0) = -1$.

(d) Find the range of the solution found in part (c).

END OF EXAMINATION