

AP Calculus BC 2001 Free-Response Questions

The materials included in these files are intended for use by AP teachers for course and exam preparation in the classroom; permission for any other use must be sought from the Advanced Placement Program. Teachers may reproduce them, in whole or in part, in limited quantities, for face-to-face teaching purposes but may not mass distribute the materials, electronically or otherwise. These materials and any copies made of them may not be resold, and the copyright notices must be retained as they appear here. This permission does not apply to any third-party copyrights contained herein.

These materials were produced by Educational Testing Service (ETS), which develops and administers the examinations of the Advanced Placement Program for the College Board. The College Board and Educational Testing Service (ETS) are dedicated to the principle of equal opportunity, and their programs, services, and employment policies are guided by that principle.

The College Board is a national nonprofit membership association dedicated to preparing, inspiring, and connecting students to college and opportunity. Founded in 1900, the association is composed of more than 3,900 schools, colleges, universities, and other educational organizations. Each year, the College Board serves over three million students and their parents, 22,000 high schools, and 3,500 colleges, through major programs and services in college admission, guidance, assessment, financial aid, enrollment, and teaching and learning. Among its best-known programs are the SAT[®], the PSAT/NMSQTTM, the Advanced Placement Program[®] (AP[®]), and Pacesetter[®]. The College Board is committed to the principles of equity and excellence, and that commitment is embodied in all of its programs, services, activities, and concerns.

Copyright © 2001 by College Entrance Examination Board. All rights reserved. College Board, Advanced Placement Program, AP, and the acorn logo are registered trademarks of the College Entrance Examination Board.

CALCULUS BC SECTION II, Part A Time—45 minutes Number of problems—3

A graphing calculator is required for some problems or parts of problems.

1. An object moving along a curve in the xy-plane has position (x(t), y(t)) at time t with


$$\frac{dx}{dt} = \cos(t^3)$$
 and $\frac{dy}{dt} = 3\sin(t^2)$

for $0 \le t \le 3$. At time t = 2, the object is at position (4, 5).

- (a) Write an equation for the line tangent to the curve at (4, 5).
- (b) Find the speed of the object at time t = 2.
- (c) Find the total distance traveled by the object over the time interval $0 \le t \le 1$.
- (d) Find the position of the object at time t = 3.

t	W(t)
(days)	(°C) 20
3	31
6	28
9 12	24 22
15	21

- 2. The temperature, in degrees Celsius (°C), of the water in a pond is a differentiable function W of time t. The table above shows the water temperature as recorded every 3 days over a 15-day period.
 - (a) Use data from the table to find an approximation for W'(12). Show the computations that lead to your answer. Indicate units of measure.
 - (b) Approximate the average temperature, in degrees Celsius, of the water over the time interval $0 \le t \le 15$ days by using a trapezoidal approximation with subintervals of length $\Delta t = 3$ days.
 - (c) A student proposes the function P, given by $P(t) = 20 + 10te^{(-t/3)}$, as a model for the temperature of the water in the pond at time t, where t is measured in days and P(t) is measured in degrees Celsius. Find P'(12). Using appropriate units, explain the meaning of your answer in terms of water temperature.
 - (d) Use the function P defined in part (c) to find the average value, in degrees Celsius, of P(t) over the time interval $0 \le t \le 15$ days.



- 3. A car is traveling on a straight road with velocity 55 ft/sec at time t = 0. For $0 \le t \le 18$ seconds, the car's acceleration a(t), in ft/sec², is the piecewise linear function defined by the graph above.
 - (a) Is the velocity of the car increasing at t = 2 seconds? Why or why not?
 - (b) At what time in the interval $0 \le t \le 18$, other than t = 0, is the velocity of the car 55 ft/sec? Why?
 - (c) On the time interval $0 \le t \le 18$, what is the car's absolute maximum velocity, in ft/sec, and at what time does it occur? Justify your answer.
 - (d) At what times in the interval $0 \le t \le 18$, if any, is the car's velocity equal to zero? Justify your answer.

END OF PART A OF SECTION II

CALCULUS BC SECTION II, Part B Time—45 minutes Number of problems—3

No calculator is allowed for these problems.

4. Let h be a function defined for all $x \neq 0$ such that h(4) = -3 and the derivative of h is given by

$$h'(x) = \frac{x^2 - 2}{x} \text{ for all } x \neq 0$$

- (a) Find all values of x for which the graph of h has a horizontal tangent, and determine whether h has a local maximum, a local minimum, or neither at each of these values. Justify your answers.
- (b) On what intervals, if any, is the graph of h concave up? Justify your answer.
- (c) Write an equation for the line tangent to the graph of h at x = 4.
- (d) Does the line tangent to the graph of h at x = 4 lie above or below the graph of h for x > 4? Why?
- 5. Let f be the function satisfying f'(x) = -3xf(x), for all real numbers x, with f(1) = 4 and $\lim_{x \to \infty} f(x) = 0$.
 - (a) Evaluate $\int_{1}^{\infty} -3x f(x) dx$. Show the work that leads to your answer.
 - (b) Use Euler's method, starting at x = 1 with a step size of 0.5, to approximate f(2).
 - (c) Write an expression for y = f(x) by solving the differential equation $\frac{dy}{dx} = -3xy$ with the initial condition f(1) = 4.

6. A function f is defined by

$$f(x) = \frac{1}{3} + \frac{2}{3^2}x + \frac{3}{3^3}x^2 + \dots + \frac{n+1}{3^{n+1}}x^n + \dots$$

for all x in the interval of convergence of the given power series.

(a) Find the interval of convergence for this power series. Show the work that leads to your answer.

(b) Find
$$\lim_{x \to 0} \frac{f(x) - \frac{1}{3}}{x}$$
.

- (c) Write the first three nonzero terms and the general term for an infinite series that represents $\int_0^1 f(x) dx$.
- (d) Find the sum of the series determined in part (c).

END OF EXAMINATION