## AP<sup>®</sup> CALCULUS AB/CALCULUS BC 2015 SCORING GUIDELINES

#### **Question 1**

The rate at which rainwater flows into a drainpipe is modeled by the function R, where  $R(t) = 20\sin\left(\frac{t^2}{35}\right)$  cubic

feet per hour, t is measured in hours, and  $0 \le t \le 8$ . The pipe is partially blocked, allowing water to drain out the other end of the pipe at a rate modeled by  $D(t) = -0.04t^3 + 0.4t^2 + 0.96t$  cubic feet per hour, for  $0 \le t \le 8$ . There are 30 cubic feet of water in the pipe at time t = 0.

- (a) How many cubic feet of rainwater flow into the pipe during the 8-hour time interval  $0 \le t \le 8$ ?
- (b) Is the amount of water in the pipe increasing or decreasing at time t = 3 hours? Give a reason for your answer.
- (c) At what time t,  $0 \le t \le 8$ , is the amount of water in the pipe at a minimum? Justify your answer.
- (d) The pipe can hold 50 cubic feet of water before overflowing. For t > 8, water continues to flow into and out of the pipe at the given rates until the pipe begins to overflow. Write, but do not solve, an equation involving one or more integrals that gives the time w when the pipe will begin to overflow.

(a)	$\int_0^8 R(t)  dt = 76.570$	$2: \begin{cases} 1 : \text{ integrand} \\ 1 : \text{ answer} \end{cases}$
(b)	R(3) - D(3) = -0.313632 < 0 Since $R(3) < D(3)$ , the amount of water in the pipe is decreasing at time $t = 3$ hours.	2: $\begin{cases} 1 : \text{ considers } R(3) \text{ and } D(3) \\ 1 : \text{ answer and reason} \end{cases}$
(c)	The amount of water in the pipe at time t, $0 \le t \le 8$ , is $30 + \int_0^t [R(x) - D(x)] dx.$	3: $\begin{cases} 1 : \text{considers } R(t) - D(t) = 0\\ 1 : \text{answer}\\ 1 : \text{justification} \end{cases}$
	$R(t) - D(t) = 0 \implies t = 0, \ 3.271658$	
	tAmount of water in the pipe0303.27165827.964561848.543686The amount of water in the pipe is a minimum at time $t = 3.272$ (or 3.271) hours.	
(d)	$30 + \int_0^w [R(t) - D(t)] dt = 50$	$2: \begin{cases} 1: \text{ integral} \\ 1: \text{ equation} \end{cases}$

lof 2 1. The rate at which rainwater flows into a drainpipe is modeled by the function R, where  $R(t) = 20 \sin \left| \frac{t^2}{35} \right|$ cubic feet per hour, t is measured in hours, and  $0 \le t \le 8$ . The pipe is partially blocked, allowing water to drain out the other end of the pipe at a rate modeled by  $D(t) = -0.04t^3 + 0.4t^2 + 0.96t$  cubic feet per hour, for  $0 \le t \le 8$ . There are 30 cubic feet of water in the pipe at time t = 0. (a) How many cubic feet of rainwater flow into the pipe during the 8-hour time interval  $0 \le t \le 8$ ?  $R(t)df = \int_{-\infty}^{\infty} 20 \sin \frac{t^2}{35} dt = [76.570 \text{ ft}^3]$ Durring the eight how interval, about 76.570 cubic feet of water flow into the drainpipe (b) Is the amount of water in the pipe increasing or decreasing at time t = 3 hours? Give a reason for your T'(X) = R(X) - dEx) = 201 = 201 + 35 +.045 -.45- 965 Total water "T(x) T'(3)=2011 1/25 + 04(27)-4(0) - 96(3)=-314 <0 after three hours the amount of water in the pipe is decreasing because the derivative of the amount of water ( the difference between water entering and leaving ) is less than zero at 3 hours.

Unauthorized copying or reuse of any part of this page is illegal.

Do not write beyond this border.

©2015 The College Board. Visit the College Board on the Web: www.collegeboard.org. Continue problem 1 on page 5.

24 2 (c) At what time t,  $0 \le t \le 8$ , is the amount of water in the pipe at a minimum? Justify your answer. £=0, 3.2716584 T((+)=0  $(\mathcal{O})$ T(0)= 30 T(3.272)=27.965 T(8)=48.544 after testing all critical numbers and endpoints for their values, the amount of water in the pipe achieves a minimu value of about 27.965 after about 3.272 hours (d) The pipe can hold 50 cubic feet of water before overflowing. For t > 8, water continues to flow into and out of the pipe at the given rates until the pipe begins to overflow. Write, but do not solve, an equation involving one or more integrals that gives the time w when the pipe will begin to overflow. 50 = 1 (W) 30 + ( T'(E) at r'(E) df = STR(E)- f(E)] df

Unauthorized copying or reuse of any part of this page is illegal.

Do not write beyond this border.

GO ON TO THE NEXT PAGE.

Do not write beyond this border

-5-

1. The rate at which rainwater flows into a drainpipe is modeled by the function R, where  $R(t) = 20 \sin \left| \frac{1}{20} \right|$ 

cubic feet per hour, t is measured in hours, and  $0 \le t \le 8$ . The pipe is partially blocked, allowing water to drain out the other end of the pipe at a rate modeled by  $D(t) = -0.04t^3 + 0.4t^2 + 0.96t$  cubic feet per hour, for  $0 \le t \le 8$ . There are 30 cubic feet of water in the pipe at time t = 0.

- (a) How many cubic feet of rainwater flow into the pipe during the 8-hour time interval  $0 \le t \le 8$ ?
  - $\int_{6}^{8} 20 \sin\left(\frac{t^{2}}{35}\right) dt = 76.57035295 \text{ ft}^{3}$

(b) Is the amount of water in the pipe increasing or decreasing at time t = 3 hours? Give a reason for your answer.

At t=3 hours, R(t) <. D(t). The amount of water in the pipe is decreasing

$$R(3) = 20 \sin\left(\frac{3^2}{35}\right) = 5.086 \text{ ff}^3/\text{hour}$$


$$D(3) = -.04(3)^{3} + .4(3)^{2} + 0.96(3) = 5.4 \text{ ft}^{3}/\text{hour}$$

Unauthorized copying or reuse of any part of this page is illegal.

1

-4-

1



(d) The pipe can hold 50 cubic feet of water before overflowing. For t > 8, water continues to flow into and out of the pipe at the given rates until the pipe begins to overflow. Write, but do not solve, an equation involving one or more integrals that gives the time w when the pipe will begin to overflow.

 $50 = 30 + \int_{0}^{w} 20 \sin\left(\frac{t^{2}}{35}\right) dt - \int_{0}^{w} -.04t^{3} + .4t^{2} +.96t dt$ 

-5-

1. The rate at which rainwater flows into a drainpipe is modeled by the function R, where  $R(t) = 20\sin\left(\frac{t^2}{35}\right)$ 

1

cubic feet per hour, t is measured in hours, and  $0 \le t \le 8$ . The pipe is partially blocked, allowing water to drain out the other end of the pipe at a rate modeled by  $D(t) = -0.04t^3 + 0.4t^2 + 0.96t$  cubic feet per hour, for  $0 \le t \le 8$ . There are 30 cubic feet of water in the pipe at time t = 0.

1

(a) How many cubic feet of rainwater flow into the pipe during the 8-hour time interval  $0 \le t \le 8$ ?

$$R(8) = 205in\left(\frac{8^2}{35}\right)$$
  
= 205in\left(\frac{69}{35}\right)  
$$R(8) = 19.3392$$

1

(b) Is the amount of water in the pipe increasing or decreasing at time t = 3 hours? Give a reason for your answer.

$$\begin{pmatrix} l(3) \\ = 20 \sin\left(\frac{3}{35}\right) \\ = 20 \sin\left(\frac{9}{35}\right) \\ \Re(3) = 5.08637 \\ D(t) = -0.09(3)^{3} + 0.9(3)^{2} + 0.96(3) \\ D(t) = 5.9 \\ The amount of water in the pipe is decreasing at time t = 3 mounts, because the rate of which the water is draining out the other end of the pipe is greater, D(3) = 5.9 \\ fraining out the other end of the pipe is greater, D(3) = 5.9 \\ man the rate of which the rainwater for the time training into the matter is indicated at which the rainwater of the time training into the matter pipe, R(3) = 5.08637 \\ \end{pmatrix}$$

Unauthorized copying or reuse of any part of this page is illegal.

C

יזחחות מווח חתלהה הוווא ותווס התוחרו.

Continue problem 1 on page 5.

(c) At what time t,  $0 \le t \le 8$ , is the amount of water in the pipe at a minimum? Justify your answer.

 $20 \sin\left(\frac{t^2}{35}\right) = -0.04t^3 + 0.4t^2 + 0.96t$ 

(d) The pipe can hold 50 cubic feet of water before overflowing. For t > 8, water continues to flow into and out of the pipe at the given rates until the pipe begins to overflow. Write, but do not solve, an equation involving one or more integrals that gives the time w when the pipe will begin to overflow.

1

Do not write beyond this border.

-5-

## GO ON TO THE NEXT PAGE.

©2015 The College Board. Visit the College Board on the Web: www.collegeboard.org.

# AP<sup>®</sup> CALCULUS AB/CALCULUS BC 2015 SCORING COMMENTARY

## **Question 1**

### Overview

In this problem students were given R(t), the rate of flow of rainwater into a drainpipe, in cubic feet per hour, and D(t), the rate of flow of water out of the pipe, in cubic feet per hour. Both R(t) and D(t) are defined on the time interval  $0 \le t \le 8$ . The amount of water in the pipe at time t = 0 is also given. In part (a) students needed to use the definite integral to compute the amount of rainwater that flows into the pipe during the interval  $0 \le t \le 8$ . Students had to set up the definite integral  $\int_{0}^{8} R(t) dt$  and evaluate the integral using the calculator. In part (b) students should have recognized that the rate of change of the amount of water in the pipe at time t is given by R(t) - D(t). Students were expected to calculate R(3) - D(3) using the calculator and find that the result is negative. Therefore, the amount of water in the pipe is decreasing at time t = 3. In part (c) students had to find the time t,  $0 \le t \le 8$ , at which the amount of water in the pipe is at a minimum. Students were expected to set up an integral expression such as  $30 + \int_0^t [R(x) - D(x)] dx$  for the amount of water in the pipe at time t. Students should have realized that an absolute minimum exists since they are working with a continuous function on a closed interval, and this minimum must occur at either a critical point or at an endpoint of the interval. Students were expected to use the calculator to solve R(t) - D(t) = 0 and find the single critical point at t = 3.272 on the interval 0 < t < 8. Students should have stored the full value for t in the calculator and used the calculator to evaluate the function at the critical point and the endpoints. In this case the amount of water is at a minimum at the single critical point. In part (d) students were asked to write an equation involving one or more integrals that gives the time w when the pipe will begin to overflow. Students were expected to set up an equation using the initial condition, an integral expression, and the holding capacity of the pipe, such as

$$30 + \int_0^w [R(t) - D(t)] dt = 50.$$

#### Sample: 1A Score: 9

The response earned all 9 points.

### Sample: 1B Score: 6

The response earned 6 points: 2 points in part (a), 2 points in part (b), no points in part (c), and 2 points in part (d). In parts (a) and (b), the student's work is correct. In part (c) the student works with R(t) rather than R(t) - D(t). In part (d) the student's work is correct.

## Sample: 1C Score: 3

The response earned 3 points: no points in part (a), 2 points in part (b), 1 point in part (c), and no points in part (d). In part (a) the student finds the rate at which water enters the pipe rather than the total amount. In part (b) the student's work is correct. In part (c) the student earned the first point for considering R(t) - D(t) = 0.