

# AP<sup>®</sup> Calculus BC 2004 Free-Response Questions

The materials included in these files are intended for noncommercial use by AP teachers for course and exam preparation; permission for any other use must be sought from the Advanced Placement Program<sup>®</sup>. Teachers may reproduce them, in whole or in part, in limited quantities, for face-to-face teaching purposes but may not mass distribute the materials, electronically or otherwise. This permission does not apply to any third-party copyrights contained herein. These materials and any copies made of them may not be resold, and the copyright notices must be retained as they appear here.

The College Board is a not-for-profit membership association whose mission is to connect students to college success and opportunity. Founded in 1900, the association is composed of more than 4,500 schools, colleges, universities, and other educational organizations. Each year, the College Board serves over three million students and their parents, 23,000 high schools, and 3,500 colleges through major programs and services in college admissions, guidance, assessment, financial aid, enrollment, and teaching and learning. Among its best-known programs are the SAT<sup>®</sup>, the PSAT/NMSOT<sup>®</sup>, and the Advanced Placement Program<sup>®</sup> (AP<sup>®</sup>). The College Board is committed to the principles of excellence and equity, and that commitment is embodied in all of its programs, services, activities, and concerns.

For further information, visit www.collegeboard.com

Copyright © 2004 College Entrance Examination Board. All rights reserved. College Board, Advanced Placement Program, AP, AP Central, AP Vertical Teams, APCD, Pacesetter, Pre-AP, SAT, Student Search Service, and the acom logo are registered trademarks of the College Entrance Examination Board. PSAT/NMSOT is a registered trademark jointly owned by the College Entrance Examination Board and the National Merit Scholarship Corporation. Educational Testing Service and ETS are registered trademarks of Educational Testing Service. Other products and services may be trademarks of their respective owners.

For the College Board's online home for AP professionals, visit AP Central at apcentral.collegeboard.com.

## 2004 AP<sup>®</sup> CALCULUS BC FREE-RESPONSE QUESTIONS

## CALCULUS BC SECTION II, Part A Time—45 minutes Number of problems—3

#### A graphing calculator is required for some problems or parts of problems.

1. Traffic flow is defined as the rate at which cars pass through an intersection, measured in cars per minute. The traffic flow at a particular intersection is modeled by the function F defined by

$$F(t) = 82 + 4\sin\left(\frac{t}{2}\right)$$
 for  $0 \le t \le 30$ ,

where F(t) is measured in cars per minute and t is measured in minutes.

- (a) To the nearest whole number, how many cars pass through the intersection over the 30-minute period?
- (b) Is the traffic flow increasing or decreasing at t = 7? Give a reason for your answer.
- (c) What is the average value of the traffic flow over the time interval  $10 \le t \le 15$ ? Indicate units of measure.
- (d) What is the average rate of change of the traffic flow over the time interval  $10 \le t \le 15$ ? Indicate units of measure.

## 2004 AP® CALCULUS BC FREE-RESPONSE QUESTIONS



- 2. Let f and g be the functions given by f(x) = 2x(1-x) and  $g(x) = 3(x-1)\sqrt{x}$  for  $0 \le x \le 1$ . The graphs of f and g are shown in the figure above.
  - (a) Find the area of the shaded region enclosed by the graphs of f and g.
  - (b) Find the volume of the solid generated when the shaded region enclosed by the graphs of f and g is revolved about the horizontal line y = 2.
  - (c) Let *h* be the function given by h(x) = kx(1 x) for  $0 \le x \le 1$ . For each k > 0, the region (not shown) enclosed by the graphs of *h* and *g* is the base of a solid with square cross sections perpendicular to the *x*-axis. There is a value of *k* for which the volume of this solid is equal to 15. Write, but do not solve, an equation involving an integral expression that could be used to find the value of *k*.

# 2004 AP® CALCULUS BC FREE-RESPONSE QUESTIONS

3. An object moving along a curve in the *xy*-plane has position (x(t), y(t)) at time  $t \ge 0$  with  $\frac{dx}{dt} = 3 + \cos(t^2)$ .

The derivative  $\frac{dy}{dt}$  is not explicitly given. At time t = 2, the object is at position (1, 8).

- (a) Find the x-coordinate of the position of the object at time t = 4.
- (b) At time t = 2, the value of  $\frac{dy}{dt}$  is -7. Write an equation for the line tangent to the curve at the point (x(2), y(2)).
- (c) Find the speed of the object at time t = 2.
- (d) For  $t \ge 3$ , the line tangent to the curve at (x(t), y(t)) has a slope of 2t + 1. Find the acceleration vector of the object at time t = 4.

#### **END OF PART A OF SECTION II**

## 2004 AP® CALCULUS BC FREE-RESPONSE QUESTIONS

## CALCULUS BC SECTION II, Part B Time—45 minutes Number of problems—3

#### No calculator is allowed for these problems.

- 4. Consider the curve given by  $x^2 + 4y^2 = 7 + 3xy$ .
  - (a) Show that  $\frac{dy}{dx} = \frac{3y 2x}{8y 3x}$ .
  - (b) Show that there is a point *P* with *x*-coordinate 3 at which the line tangent to the curve at *P* is horizontal. Find the *y*-coordinate of *P*.
  - (c) Find the value of  $\frac{d^2y}{dx^2}$  at the point *P* found in part (b). Does the curve have a local maximum, a local minimum, or neither at the point *P*? Justify your answer.
- 5. A population is modeled by a function P that satisfies the logistic differential equation

$$\frac{dP}{dt} = \frac{P}{5} \left( 1 - \frac{P}{12} \right)$$

- (a) If P(0) = 3, what is  $\lim_{t \to \infty} P(t)$ ? If P(0) = 20, what is  $\lim_{t \to \infty} P(t)$ ?
- (b) If P(0) = 3, for what value of P is the population growing the fastest?
- (c) A different population is modeled by a function Y that satisfies the separable differential equation

$$\frac{dY}{dt} = \frac{Y}{5} \left( 1 - \frac{t}{12} \right).$$

Find Y(t) if Y(0) = 3.

(d) For the function Y found in part (c), what is  $\lim_{t \to \infty} Y(t)$ ?

# 2004 AP<sup>®</sup> CALCULUS BC FREE-RESPONSE QUESTIONS

- 6. Let f be the function given by  $f(x) = \sin\left(5x + \frac{\pi}{4}\right)$ , and let P(x) be the third-degree Taylor polynomial for f about x = 0.
  - (a) Find P(x).
  - (b) Find the coefficient of  $x^{22}$  in the Taylor series for f about x = 0.
  - (c) Use the Lagrange error bound to show that  $\left| f\left(\frac{1}{10}\right) P\left(\frac{1}{10}\right) \right| < \frac{1}{100}$ .
  - (d) Let G be the function given by  $G(x) = \int_0^x f(t) dt$ . Write the third-degree Taylor polynomial for G about x = 0.

#### **END OF EXAMINATION**